

1 Identification

- **Product identifier**
- **Trade name: DX Cartridge Clean-Tec**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cartridges for technical purpose
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Hilti, Inc.
5400 South 122nd East Ave.
US-Tulsa, OK 74146
Phone: (800) 879-8000
Fax: (800) 879-7000
Español: (800) 879-5000
- **Information department:**
df-hse@hilti.com
see section 16
- **Emergency telephone number:**
Chem-Trec
Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada)
Tel.: 703 527 3887 (Other countries)

2 Hazard(s) identification

- **Classification of the substance or mixture**
The dismantling of the article is prohibited.
This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use.
Expl. 1.4 H204 Fire or projection hazard.
- **Additional information:**
Category of the pyrotechnic article: other pyrotechnic articles Cat. P1
(BAM EC-Type-Examination Certificate No. 0589.PYR.3802/12 or 0589.PYR.3798/12 respectively)
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS01

- **Signal word** Warning
- **Hazard statements**
H204 Fire or projection hazard.
- **Precautionary statements**
P210 Keep away from heat. - No smoking.
P250 Do not subject to grinding/shock/friction.
P280 Wear eye protection / face protection.
- **Classification system**
- **NFPA ratings (scale 0-4)**



Health = 0
Fire = 2
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Trade name: DX Cartridge Clean-Tec

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:**

Mixture of the substances listed below with nonhazardous additions.

max. net explosives weight each cartridge in mg:

Caliber 6.8/11 (cal .27 short) white: 130; brown: 140; green: 160; yellow: 180; red: 230; black: 260

Caliber 6.8/18 (cal .27 long) green: 190; yellow: 220; blue: 300; red: 330; black: 410

- **Dangerous components:**

Within the cartridges the explosive ingredients (gun powder and priming composition) are hermetically separated from the environment. They will be only opened with effort and under destruction of the article.

Propellant powder: Single base powder, containing glyceroltrinitrate

Mass per cartridge: essentially dependent on the required power (100-400 mg)

Priming composition: SINTOX (initiating explosive) Mass per cartridge: 20,9 mg in the mean.

55-63-0	glycerol trinitrate	3-<10%
122-39-4	diphenylamine	0-1%

- **Additional information**

Exposed propellant powder outside a cartridge is harmful if swallowed and highly flammable; without tamping no explosion risk.

Packed safety cartridges don't represent a significant risk.

In case of reaction no dangerous fragments or projectiles will be formed.

Mechanical or thermal attempts to expose the primer composition lead to an immediate reaction of the dangerous ingredients.

For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information** First aid measures only required by release of ingredients or generation of decomposition products.
- **After inhalation** Take affected persons into fresh air and keep quiet.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
 - Rinse out mouth and then drink plenty of water.
 - Do not induce vomiting; immediately call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 - Monitor circulation, possible shock treatment.
 - If necessary oxygen respiration treatment
 - If blue colouring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.
 - In cases of irritation to the lungs, initial treatment with Dexamethason metered aerosol.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
 - CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Not applicable
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - EN 12941 / EN 12942

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 - Keep away from ignition sources
 - Remove persons from danger area.
 - Ensure adequate ventilation

(Contd. on page 3)

Trade name: DX Cartridge Clean-Tec

(Contd. of page 2)

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Pick up scattered propellant cartridges only by hand.
Exposed ingredients must be swept up carefully and stabilised in a water container which has been labelled according the regulations. Wipe down the contaminated area with water.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
No special precautions are necessary if used correctly.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Protect against electrostatic charges.
Keep ignition sources away - Do not smoke.
Prevent impact and friction.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Keep in a cool, dry and dark place; 41 °F / 5 °C to 77 °F / 25 °C.
- **Information about storage in one common storage facility:**
Store away from flammable substances.
Store away from foodstuffs.
- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
Protect from humidity and water.
- **Storage class 1**
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
55-63-0 glycerol trinitrate	
PEL	Short-term value: C 2 mg/m ³ , C 0.2 ppm Skin
REL	Short-term value: 0.1 mg/m ³ Skin
TLV	Long-term value: 0.46 mg/m ³ , 0.05 ppm Skin
122-39-4 diphenylamine	
REL	Long-term value: 10 mg/m ³
TLV	Long-term value: 10 mg/m ³

- **CAS No. Designation of material % Type Value Unit**

· Additional Occupational Exposure Limit Values for possible hazards during processing:	
630-08-0 carbon monoxide	
PEL	Long-term value: 55 mg/m ³ , 50 ppm
REL	Short-term value: C 229 mg/m ³ , C 200 ppm Long-term value: 40 mg/m ³ , 35 ppm
TLV	Long-term value: 29 mg/m ³ , 25 ppm BEI
124-38-9 carbon dioxide	
PEL	Long-term value: 9000 mg/m ³ , 5000 ppm

(Contd. on page 4)

Trade name: DX Cartridge Clean-Tec

(Contd. of page 3)

REL	Short-term value: 54.000 mg/m ³ , 30.000 ppm Long-term value: 9000 mg/m ³ , 5000 ppm
TLV	Short-term value: 54.000 mg/m ³ , 30.000 ppm Long-term value: 9000 mg/m ³ , 5000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
Do not eat, drink, smoke or sniff while working.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable
- **Penetration time of glove material:** Not required.
- **Eye protection:**



Safety glasses

EN 166 / EN 170

- **Body protection:**



When using setting tools, sufficient ear protection must be worn.

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Solid.
Color:	According to product specification
· Odor;	Not determined
· Odour threshold:	Not applicable
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	Not determined
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.

(Contd. on page 5)

Trade name: DX Cartridge Clean-Tec

(Contd. of page 4)

- | | |
|--|--|
| · Solubility in / Miscibility with Water: | Not applicable |
| · Partition coefficient (n-octanol/water): | Not applicable |
| · Viscosity:
dynamic: | Not applicable. |
| kinematic: | Not applicable. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Temperatures > 40 °C
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
acids
alkalis (caustic solutions).
- **Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)

11 Toxicological information

- **Information on toxicological effects**
No harmful effects are to be expected if used properly.
The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released.
The dismantling of the article is prohibited.
- **Acute toxicity:**
- **Primary irritant effect:**
 on the skin: No irritant effect.
 on the eye: No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **NTP (National Toxicology Program)**
None of the ingredients is listed.

12 Ecological information

- **Toxicity**
No harmful effects are to be expected if used properly.
The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released.
The dismantling of the article is prohibited.
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Generally not hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Trade name: DX Cartridge Clean-Tec

· Other adverse effects No further relevant information available.

(Contd. of page 5)

13 Disposal considerations


- Waste treatment methods
- Recommendation
For disposal, local regulations issued by the authorities must be observed.
Completely discharged cartridges strips may be disposed of as household or factory waste. No hazardous waste.

· European waste catalogue:

16 04 01* | waste ammunition

- Uncleaned packagings:
- Recommendation: Non contaminated packagings can be used for recycling.

14 Transport information

· UN-Number	UN0323
· DOT, ADR, IMDG, IATA	UN0323
· UN proper shipping name	Cartridge, power device
· DOT, IMDG, IATA	Cartridge, power device
· ADR	UN0323 cartridge, power device
· Transport hazard class(es)	
· ADR, IATA	
	
· Class	1 Explosive substances und articles
· Label	1.4
· IMDG	
· Class	1 Explosive substances und articles
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Explosive substances und articles
· Danger code (Kemler):	-
· EMS Number:	F-B,S-X
· Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN0323, cartridge, power device, 1.4S

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

55-63-0 | glycerol trinitrate

122-39-4 | diphenylamine

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 7)

Trade name: DX Cartridge Clean-Tec

(Contd. of page 6)

· Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

122-39-4 | diphenylamine

A4

· MAK (German Maximum Workplace Concentration)

55-63-0 | glycerol trinitrate

3B

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: not required.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Hilti Entwicklungsgesellschaft mbH

Hiltistrasse 6

D-86916 Kaufering

Tel.: +49 8191 906310

Fax: +49 8191 90176310

df-hse@hilti.com

· Contact: Mechthild Krauter

· Date of preparation / last revision 05/18/2015 / 2

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

Expl. 1.4: Explosives, Division 1.4